PHILIPS Lighting



The ultimate in user interface solutions – balancing aesthetics and function

Dynalite User Interface

Regardless of the level of integration and range of available functions, a control system requires an intuitive end-user interface, so that users can easily schedule and activate the various control functionalities.Philips Dynalite user interfaces come in a broad range of panels, touchscreens and wiring devices – with a rich variety of styles and finishes to match any project budget, level of interactivity, or décor requirements.

Benefits

- User interfaces for automation systems from standard up to premium
- Fully customizable in terms of functions and aesthetics
- Flexibly programmable during and after commissioning

Dynalite User Interface

Features

- Wide choice of products for any application
- Ultimate in flexibility various styles and finishes for consumer and commercial environments, full configurability and customization
- Wiring devices many function types, aesthetic matching to control panels, modular design
- Panels many different button layouts, custom engraving, programming settings within area
- Touchscreens ultimate interactivity, intuitive thanks to custom-created screen interface, limitless décor-matching options
- Display version Central LCD allows system information to be shown, such as temperature, time, channel level and current scene. Button function can change when navigating between the potential16 pages.

Application

- · Hospitality, retail, offices
- Public spaces and multi-purpose event centers
- Smart homes

Versions









D۵	BP		Ŵ	۱۸	Y
Г 7	DL	- E	**	VV.	~^







PATPE-WA-X

PADPE-AA

Dynalite User Interface



© 2017 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.lighting.philips.com 2017, June 27 - data subject to change